


JoBird[®]

BUILT BY THE BEST TO WITHSTAND THE WORST.

Product data sheet



JB83 Fire Extinguisher Cabinet

Typical use:

For the storage of 2 x 9-12Kg Fire Extinguisher (excluding 5Kg CO2 extinguisher). This cabinet is widely used in the Offshore energy and marine sectors.

Description:

These cabinets are manufactured using Lloyds approved composites including UV resistant gelcoats to provide long lasting protection for equipment stored inside in even the harshest environments. This is backed up with an excellent IP rating of 56. It has both Lloyds and ABS approvals.

The design ensures a high level of rigidity for the relatively low weight with a very effective EPDM seal around the door aperture. The hinges are secured with 316 stainless steel nuts, bolts and washers.

The door can be specified with left or right hinging and features a nylon graphite rotary handle to pull the door Seal: EPDM open to guarantee fast access even when wearing gloves.

Standard specification:

Dimensions (mm)

Height x width x depth: 816 x 548 x 344

Aperture: 650Hx 391W

Internal depth: 294

Weight Kg: 11.5 Kg

Material specification:

Colour: Red RAL3000

Material: Lloyds approved composites with UV stabi-

lised gelcoat

Hinges: Stainless Steel

Handle: Nylon graphite rotary

Optional Extras:

Other RAL colours

Class 1 fire retardant composites

Perspex window









Manufactured in the UK

