

OCEAN SAFETY CROTCH STRAP

Owner's Manual

REV 2

This manual is the property of Ocean Safety Limited and its associated or subsidiary companies.

It must not be copied without prior written permission from Ocean Safety Limited or its associated or subsidiary companies.

All rights reserved.

**YOUR SAFETY
OUR WORLD**



1.1 Components



Fig 1.1A Ensure both the short and long sections of the crotch strap are present before installation.

2.1 Fitting Instructions - Long Section




Fig 2.1A - Pass the looped end of the crotch strap through the loop located on the back strap.




Fig 2.1B - Feed the buckle end of the crotch strap through the looped end, creating a cow hitch knot.




Fig 2.1C - Pull the strap firmly to tighten and secure the attachment.

2.2 Fitting Instructions - Short Section




Fig 2.2A - Depending on the make and model, the crotch strap may be fitted to the left, right or centre of the life jacket. Ensure there is sufficient space at each potential attachment point and discount any position that may cause interference or obstruct adjustment of the waist belt.

Once reviewed, confirm the end user's preferred position and fit the crotch strap in accordance with the following instructions.




Fig 2.2B - Insert the webbing into the left-hand slot of the buckle.




Fig 2.2C - Ensure the webbing lies flat within the buckle and is free from twists.




Fig 2.2D - Insert the webbing into the right-hand slot of the buckle.




Fig 2.2E - Ensure the webbing lies flat within the buckle and is free from twists.

OCEAN SAFETY
Saxon Wharf
Lower York Street
Southampton
Hampshire
SO14 5QF

Tel: +44 (0)2380 720800
Email: info@oceansafety.com
Web: www.oceansafety.com